

# ENQUIRY DRAFT

## Specification for Food grade salt



**Guyana National Bureau of Standards**

**Comment Period: October 28, 2024-December 30, 2024.**

© GNBS 2024

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from the GNBS at the address below.

**Guyana National Bureau of Standards (GNBS)**

Flat 15, Sophia Exhibition Complex,

Georgetown, Guyana

Telephone: 592-219-0064-66

Email: [standards@gnbsgy.org](mailto:standards@gnbsgy.org)

Website: [www.gnbsguy.org](http://www.gnbsguy.org)

**Contents**

	<b>Page</b>
Foreword.....	iii
Members of the Technical Committee - Foods.....	iv
Standard	
1. Scope.....	1
3. Essential composition and quality factors.....	1
4. Food additives.....	2
5. Contaminants.....	2
6. Food Hygiene.....	2
7. Labelling.....	3
8. Packaging, transportation and storage.....	3
9. Methods of analysis and sampling.....	4
Appendix A.....	7

## Foreword

This Guyana Standard is the second revision of **GYS 10:2007 Specification for Food grade salt**. This Standard was revised by the Guyana National Bureau of Standards through the **Technical Committee - Foods (TC 3)** and approved by the National Standards Council.

The second revision of this standard was deemed necessary to include updated reference test methods for analysis of Food grade salt to align with current food safety and hygiene practices.

This standard will provide adequate information to importers, distributors and users of Food grade salt.

ENQUIRY DRAFT

**Members of the Technical Committee - Foods**

<b>Name</b>	<b>Affiliation</b>
Ms. Tanuja Nandram-Gill	Edward B. Beharry and Company Limited
Ms. Poonam Phagu	BPI Guyana Incorporated
Ms. Meresa Ramrattan	Government Analyst-Food and Drug Department
Mr. Milton Ragbeer	Guyana Food Safety Authority
Ms. Madonna Grimes	Ministry of Health, Food Policy and Nutrition Division
Ms. Mya Dornick <b>(Alternate)</b>	Ministry of Health, Food Policy and Nutrition Division
Ms. Sileena Arjune <b>(Technical Secretary)</b>	Guyana National Bureau of Standards

## Specification for Food Grade Salt

### 1 Scope

This standard applies to salt used as an ingredient of food, both for direct sale to the consumer and for food manufacture. It applies also to salt used as a carrier of food additives and/or nutrients. Subject to the provisions of this standard more specific requirements for special needs may be applied.

It does not apply to salt which is a by-product of chemical industries.

### 2 Definitions

#### Food grade salt

a crystalline product consisting predominantly of sodium chloride. It is obtained from the sea, from underground rock salt deposits or from natural brine.

### 3 Essential composition and quality factors

#### 3.1 Minimum NaCl content

The content of NaCl shall not be less than 97% on a dry matter basis, exclusive of additives.

#### 3.2 Naturally present secondary products and contaminants

The remainder comprises natural secondary products, which are present in varying amounts depending on the origin and the method of production of the salt, and which are composed mainly of calcium, potassium, magnesium and sodium sulphates, carbonates, bromides, and of calcium, potassium, magnesium chlorides as well. Natural contaminants may also be present in amounts varying with the origin and the method of production of the salt such as arsenic, lead, mercury, cadmium etc. Copper shall not exceed 2 mg/kg (expressed as Cu).

#### 3.3 Use as a carrier

Food grade salt shall be used when salt is used as a carrier for food additives or nutrients for technological or public health reasons.

Examples of such preparations are mixtures of salt with nitrate and/or nitrite (curing salt) and salt mixed with small amounts of fluoride, iodide or iodate, iron, vitamins, etc., and additives used to carry or stabilise such additions.

#### 3.4 Iodisation of food salt

In iodine-deficient areas, food grade salt shall be iodised to prevent iodine-deficiency disorders (IDD) for public health reasons.

##### 3.4.1 Iodine compounds

For the fortification of food grade salt with iodine, use can be made of sodium and potassium iodides or iodates.

### 3.4.2 Maximum and minimum levels

The maximum and minimum levels used for the iodisation of food grade salt are to be calculated as iodine (expressed as mg/kg) and shall be established by the national health authorities in the light of the local iodine deficiency situation.

### 3.4.3 Quality assurance

The production of iodised food grade salt shall only be performed by reliable manufacturers having the knowledge and the equipment requisite for the adequate production of iodised food grade salt, and specifically, for the correct dosage and even intermixing.

## 4 Food additives

Only Food additives listed in Tables 1 and 2 of the *Codex General Standard for Food Additives* (CODEX STAN 192-1995) in Food Category 12.1.1 (Salt) may be used in foods subject to this standard.

## 5 Contaminants

The products covered by this Standard shall comply with the Maximum Levels of the *Codex General Standard for Contaminants and Toxins in Foods and Feeds* (CODEX/STAN 193-1995). In particular, the following maximum limits shall not be exceeded:

### Specific characteristics for allowable quantity of contaminants in salt

Name of contaminant	Specification
Arsenic	<0.5mg/kg expressed as As
Lead	<2mg/kg expressed as Pb
Cadmium	<0.5 expressed as Cd
Mercury	<0.1 expressed as Hg

## 6 Food Hygiene

**6.1.1** In order to ensure that proper standards of food hygiene are maintained until the product reaches the consumer, the method of production, packaging, storage and transportation of food grade salt shall be such as to avoid any risk of contamination.

**6.1.2** It is recommended that the products covered by the provisions of this standard be prepared and handled in accordance with the appropriate sections of the Recommended International Code of Practice – General Principles of Food Hygiene (CAC/RCP 1- 1969), and other relevant Codex texts such as Codes of Hygienic Practice and Codes of Practice.

## 7 Labelling

In addition to the requirements of the **Guyana Standard for the Labelling of prepackaged foods** (CODEX STAN 1-1985) the following specific provisions shall apply:

### 7.1 The name of the product

**7.1.1** The name of the product, as declared on the label shall be “salt”.

**7.1.2** The name “salt” shall have in its close proximity a declaration of either “Food Grade” or “Cooking Salt” or “Table Salt”.

**7.1.3** Only when salt contains one or more ferrocyanide salts, added to the brine during the crystallization step, the term “dendritic” could be included accompanying the name.

**7.1.4** Where salt is used as a carrier for one or more nutrients, and sold as such for public health reasons, the name of the product shall be declared properly on the label, for example, ‘salt fluoridated”, “salt iodated”, “salt iodized”, “salt fortified with iron”, “salt fortified with vitamins” and so on, as appropriate.

An indication of either the origin, according to the description specified in **Clause 2**, or the method of production may be declared on the label, provided such indication does not mislead or deceive the consumer.

### 7.2 Labelling of non-retail containers

**7.2.1** Information for non-retail containers shall either be given on the container or in accompanying documents, except that the name of the product, lot identification and name and address of the manufacturer or packer shall appear on the container.

**7.2.2** However, lot identification and the name and address of the manufacturer or packer may be replaced by an identification mark, provided that such mark is clearly identifiable with the accompanying documents.

## 8 Packaging, transportation and storage

In any salt iodisation program, it is important to ensure that salt contains the recommended amount of iodine at the time of consumption. The retention of iodine in salt depends on the iodine compound used, the type of packaging, the exposure of the package to prevailing climatic conditions and the period of time between iodisation and consumption. To ensure that iodized salt ultimately reaches the consumer with the specified level of iodine, the following precautions may be taken into consideration by countries where climatic and storage conditions could result in a large amount of iodine loss:

**8.1** If necessary, in order to avoid the loss of iodine, iodised salt should be packed in airtight bags to either high density polyethylene (HDPE) or polypropylene (PP) (laminated or non-laminated) or LDPE-lined jute bags (Grade 1803 DW jute bags lined with 150-gauge polyethylene sheet). In many countries, this may require a major switch from conventional packaging materials made of straw or jute. The cost of adding extra iodine to compensate for its loss from cheaper packaging (i.e., straw or jute) must be weighed against the cost of switching to the above expensive packing material.



**8.2** Bulk packing units should not exceed 50 kg (in accordance with International Labour Organisation Convention) to avoid the use of hooks for lifting the bags.

**8.3** Bags that have already been used for packing other articles such as fertilizers, cement, chemicals, etc. should not be reused for packing iodised salt.

**8.4** The distribution network should be streamlined so as to reduce the interval between iodisation and consumption of salt.

**8.5** Iodised salt should not be exposed to rain, excessive humidity or direct sunlight at any stage of storage, transportation or sale.

**8.6** Bags of iodised salt shall be stored only in covered rooms or 'godowns' that have adequate ventilation.

**8.7** The consumer should be similarly advised to store iodised salt in such a manner as to protect it from direct exposure to moisture, heat and sunlight.

## **9 Methods of analysis and sampling**

### **9.1 Sampling**

See Appendix A.

### **9.2 Determination of sodium chloride content**

This method allows the calculation of sodium chloride content, on the basis of the results of the determinations of sulphate (**Method 9.4**), halogens (**Method 9.5**), calcium and magnesium (**Method 9.6**), potassium (**Method 9.7**) and loss on drying (**Method 9.8**).

Convert sulphate to  $\text{CaSO}_4$ , and unused calcium to  $\text{CaCl}_2$ , unless sulphate in sample exceeds the amount necessary to combine with calcium in which case convert calcium to  $\text{CaSO}_4$  and unused sulphate first to  $\text{MgSO}_4$  and any remaining sulphate to  $\text{Na}_2\text{SO}_4$ . Convert unused magnesium to  $\text{MgCl}_2$ . Convert potassium to KCl. Convert unused halogens to NaCl. Report the NaCl content on a dry matter basis, multiplying the percentage NaCl by  $100/100-P$ , where P is the percentage loss on drying.

### **9.3 Determination of insoluble matter**

According to **ISO 2479-1972** "Determination of matter insoluble in water or in acid and preparation of principal solutions for other determinations".

### **9.4 Determination of sulphate content**

According to **ISO 2480-1972** "Determination of sulphate content - Barium sulphate gravimetric method".

Alternatively, **EuSalt/AS 015-2007** "Determination of Elements Emission Spectrometric Method (ICP-OES)" or **EuSalt/ AS 018-2005** "Determination of Anions High Performance Ion Chromatography (HPIC) may be used."

### **9.5 Determination of calcium and magnesium contents**

According to **ISO 2482-1973** "Determination of calcium and magnesium contents. EDTA complexometric methods".

Alternatively, **EuSalt/AS 009-2005** "Determination of Calcium and Magnesium Flame Atomic Absorption Spectrometric Method" or **EuSalt/ AS 015-2007** "Determination of Elements Emission Spectrometric

Method (ICP-OES) may be used.

ENQUIRY DRAFT

## 9.6 Determination of potassium content

According to ECSS/SC 183-1979 "Determination of potassium content by sodium tetraphenylborate volumetric method" or alternatively according to ECSS/SC 184-1979 "by flame atomic absorption spectrophotometric method".

Alternatively, EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method (ICP-OES) may be used.

## 9.7 Determination of the loss on drying (conventional moisture)

According to ISO 2483-1973 "Determination of the loss of mass at 110 °C".

## 9.8 Determination of copper content

According to EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method" (ICP-OES).

## 9.9 Determination of arsenic content

According to EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method" (ICP-OES).

## 9.10 Determination of mercury content

According to method ECSS/SC 313-1982 "Determination of total mercury content - Cold vapour atomic absorption spectrometric method" or EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method (ICP-OES).

## 9.11 Determination of lead content

According to method EuSalt/AS 013-2005 "Determination of total lead content - flame atomic absorption spectrometric method".

Alternatively, EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method (ICP-OES) may be used.

## 9.12 Determination of cadmium content

According to method EuSalt/AS 014-2005 "Determination of total cadmium content - flame atomic absorption spectrometric method".

Alternatively, EuSalt/AS 015-2007 "Determination of Elements Emission Spectrometric Method (ICP-OES) may be used.

## 9.13 Determination of iodine content

According to method EuSalt/AS 002-2005 "Determination of total iodine content - titrimetric method using sodium thiosulfate".

Alternatively, the method from WHO/UNICEF/ICCIDD "Assessment of iodine deficiency disorders and monitoring their elimination. A guide for programme managers. Third edition, Annex 1: Titration method for determining salt iodate and salt iodine content. World Health Organization, Geneva, 2007" or EuSalt/AS 019-2009 "Determination of Total Bromine and Iodine Emission Spectrometric Method (ICP-OES)" may be used.

## Appendix A

(Normative)

### Method for sampling of food grade salt for determination of sodium chloride

#### A.1 Scope

This method specifies the sampling procedure to be applied when determining the main component to assess the food grade quality of sodium chloride (salt) as provided for in **Clause 3**.

The criterion to be used for acceptance or rejection of a lot or consignment based on this sample is also provided.

#### A.2 Field of application

This method is applicable to the sampling of any type of salt intended for use as food, either prepacked or in bulk.

#### A.3 Principle

This method represents a variables sampling procedure for mean quality: blended bulk sample analysis.

A blended bulk sample is produced in such a way that it is representative of the lot or consignment. It is composed of a proportion of items drawn from the lot or consignment to be analysed.

Acceptance criterion is on the basis that the mean value obtained from analyses of those blended bulk samples must comply with the provision in the Standard.

#### A.4 Definitions

The term used in this sampling method refer to those in the "*General Guidelines on Sampling*" (CAC/GL 50-2004) unless stated otherwise.

#### A.5 Equipment

The sampling equipment used should be adapted to the nature of the tests to be carried out (for example: sampling by borer, sampling equipment made of chemically inert material, etc.). The containers used for collecting the samples should be made of a chemically inert material and should be air tight.

#### A.6 Procedure

##### A.6.1 Prepackaged salt

Sampling may be carried out by "random sampling" or by "systematic sampling". The choice of the method to be used depends on the nature of the lot (for example: if the packages are marked with successive numbers, systematic sampling may be suitable).

##### A.6.1.1 Random sampling

Draw the  $n$  items from the lot in such a way that each item in the lot has the same chance of being selected.

##### A.6.1.2 Systematic sampling

If the  $N$  units in the lot have been classified and can be numbered from 1 to  $N$ , the  $l$ -in- $k$  systematic sampling of  $n$  items can be obtained as follows:

- (a) Determine the k value as  $k = N/n$ . (If k is not an integer, then round to the nearest integer).
- (b) From the first k items in the lot take one at random and then make every  $k^{\text{th}}$  item thereafter.

### A.6.2 Salt in bulk

Here, the lot is fictitiously divided into items (strata); a lot with a total mass of m kg is considered to be composed of m/100 items. In this case, it is necessary to draw up a “stratified sampling” plan appropriate to the lot dimension. The samples are selected from all the strata in proportion to the stratum sizes.

**NOTE:** Stratified sampling of a population which can be divided into different subpopulations (called strata) is carried out in such a way that specified proportions of the sample are drawn from the different strata.

### A.6.3 Constitution of the sample

**A.6.3.1** The size and the number of the items forming the sample depend on the type of salt and the lot magnitude. The minimum size to be taken into account should be in accordance with one of the following specifications according to the circumstances:

- (a) 250 g of salt in bulk or packaged in more than 1 kg packages; and
- (b) one package for prepacked salt in 500 g or 1 kg packages.

The appropriate number of samples to be drawn from the lot, shall be determined in accordance with "General Guidelines on Sampling" (CAC/GL 50-2004).

Combine and mix well the different items drawn from the lot. This blended bulk sample constitutes the laboratory sample. More than one laboratory sample may be composed in such a manner

### A.7 Acceptance criterion

**A.7.1** Determine the NaCl content (%) of at least two test portions of the laboratory sample.

**A.7.2** Calculate the average of the results obtained for the n test portions of the laboratory sample using:

$$\bar{x} = \frac{\sum x}{n} \quad (n \geq 2)$$

**A.7.3** In accordance with the provision for the relevant NaCl content (%), a lot or a consignment shall be considered acceptable if the following condition is verified:

$$\bar{x} \geq \text{minimum level specified.}$$

### A.7 Sampling report

The sampling report should contain the following information:

- (a) type and origin of the salt;
- (b) alterations of state of the salt (e.g., presence of foreign matter);
- (c) date of sampling;
- (d) lot or consignment number;
- (e) method of packing;
- (f) total mass of lot or consignment;

- (g) number, unit mass of packages and whether the mass is given net or gross;
- (h) number of items sampled;
- (i) number, nature and initial position of sampled items;
- (j) number, composition and mass of the bulk sample(s) and the method used to obtain and conserve it (them); and
- (k) names and signature of people who have carried out the sampling.

END OF DOCUMENT

ENQUIRY DRAFT